

[管内]

品名・形状・サイズ	単位	材料単価 円/単位			歩掛り 人/単位	複合単価 円/単位			備考	
		最低値	平均値	最高値		最低値	平均値	最高値		
1.25 mm ²	2C	m	110	115	118	0.015	500	584	614	
	3C	m	133	139	143	0.017	576	672	706	
	4C	m	156	162	167	0.019	652	758	797	
	5C	m	171	178	184	0.025	819	958	1,010	
	6C	m	193	201	207	0.025	844	984	1,030	
	7C	m	211	220	226	0.030	989	1,160	1,220	
	8C	m	238	248	255	0.030	1,020	1,190	1,250	
	10C	m	286	298	307	0.037	1,250	1,460	1,530	
	12C	m	334	348	359	0.043	1,450	1,700	1,780	
	15C	m	392	408	420	0.054	1,790	2,100	2,200	
	20C	m	494	515	530	0.063	2,130	2,490	2,620	
2	2C	m	131	137	141	0.019	623	730	768	
	3C	m	157	163	168	0.022	728	850	894	
	4C	m	192	200	206	0.028	918	1,070	1,130	
	5C	m	216	225	231	0.028	945	1,100	1,160	
	6C	m	251	261	269	0.034	1,130	1,320	1,390	
	7C	m	276	287	296	0.034	1,160	1,350	1,420	
	8C	m	308	321	331	0.042	1,400	1,630	1,720	
	10C	m	373	389	401	0.048	1,620	1,890	1,990	
	12C	m	431	449	463	0.060	1,990	2,320	2,440	
	15C	m	519	540	556	0.070	2,340	2,730	2,870	
	20C	m	658	685	705	0.018	1,200	1,320	1,370	
3.5	2C	m	166	173	179	0.021	713	831	875	
	3C	m	210	219	225	0.023	813	944	991	
	4C	m	257	268	276	0.030	1,040	1,210	1,270	
	5C	m	295	308	318	0.030	1,080	1,260	1,320	
	6C	m	345	359	369	0.037	1,320	1,530	1,600	
	7C	m	453	472	486	0.037	1,440	1,650	1,730	

摘要 歩掛りは入線・寸法切り・端末の接続・テーピングを含む。以下同じ。

複合単価算定のための数値：補給率10%、雑材料率3%、その他の率25%。以下同じ。

[PF管内][FEP管内]

品名・形状・サイズ	単位	材料単価 円/単位			歩掛り 人/単位	複合単価 円/単位			備考	
		最低値	平均値	最高値		最低値	平均値	最高値		
1.25 mm ²	2C	m	110	115	118	0.014	475	554	582	
	3C	m	133	139	143	0.015	526	611	642	
	4C	m	156	162	167	0.017	602	698	733	
	5C	m	171	178	184	0.023	769	897	944	
	6C	m	193	201	207	0.023	794	923	971	
	7C	m	211	220	226	0.027	914	1,070	1,120	
	8C	m	238	248	255	0.027	945	1,100	1,150	
	10C	m	286	298	307	0.033	1,150	1,340	1,400	
	12C	m	334	348	359	0.039	1,350	1,570	1,650	
	15C	m	392	408	420	0.049	1,670	1,940	2,040	
	20C	m	494	515	530	0.057	1,980	2,310	2,420	
2	2C	m	131	137	141	0.015	523	609	640	
	3C	m	157	163	168	0.017	603	699	734	
	4C	m	192	200	206	0.020	718	832	873	
	5C	m	216	225	231	0.025	870	1,010	1,060	
	6C	m	251	261	269	0.025	909	1,050	1,100	
	7C	m	276	287	296	0.031	1,090	1,260	1,330	
	8C	m	308	321	331	0.031	1,120	1,300	1,370	

[管内]

品名・形状・サイズ	単位	材料単価 円/単位			歩掛り 人/単位	複合単価 円/単位			備考	
		最低値	平均値	最高値		最低値	平均値	最高値		
1.25 mm ²	2C	m	110	115	118	0.015	500	584	614	
	3C	m	133	139	143	0.017	576	672	706	
	4C	m	156	162	167	0.019	652	758	797	
	5C	m	171	178	184	0.025	819	958	1,010	
	6C	m	193	201	207	0.025	844	984	1,030	
	7C	m	211	220	226	0.030	989	1,160	1,220	
	8C	m	238	248	255	0.030	1,020	1,190	1,250	
	10C	m	286	298	307	0.037	1,250	1,460	1,530	
	12C	m	334	348	359	0.043	1,450	1,700	1,780	
	15C	m	392	408	420	0.054	1,790	2,100	2,200	
	20C	m	494	515	530	0.063	2,130	2,490	2,620	
2	2C	m	131	137	141	0.017	573	669	704	
	3C	m	157	163	168	0.019	653	759	798	
	4C	m	192	200	206	0.022	768	890	940	
	5C	m	216	225	231	0.028	945	1,100	1,160	
	6C	m	251	261	269	0.028	980	1,140	1,200	
	7C	m	276	287	296	0.034	1,160	1,350	1,420	
	8C	m	308	321	331	0.034	1,200	1,390	1,460	
	10C	m	373	389	401	0.042	1,470	1,710	1,800	
	12C	m	431	449	463	0.048	1,690	1,960	2,060	
	15C	m	519	540	556	0.060	2,090	2,430	2,550	
	20C	m	658	685	705	0.070	2,500	2,890	3,040	
3.5	2C	m	166	173	179	0.018	638	741	779	
	3C	m	210	219	225	0.021	763	883	927	
	4C	m	257	268	276	0.023	870	1,000	1,050	
	5C	m	295	308	318	0.030	1,080	1,260	1,320	
	6C	m	345	359	369	0.030	1,140	1,310	1,380	
	7C	m	453	472	486	0.037	1,440	1,650	1,730	

摘要 歩掛りは入線・寸法切り・端末の接続・テーピングを含む。以下同じ。

複合単価算定のための数値：補給率 10%、雑材料率 3%、その他の率 25%。以下同じ。

[露出配管]

品名・形状・サイズ	単位	材料単価 円/単位			歩掛り 人/単位	複合単価 円/単位			備考
		最低値	平均値	最高値		最低値	平均値	最高値	
薄鋼管 CP	長さ 3.66m								
19	m	128	135	142	0.062	1,730	2,070	2,190	
25	m	181	190	199	0.084	2,360	2,810	2,970	
31	m	241	254	267	0.107	3,020	3,600	3,800	
39	m	277	292	307	0.131	3,650	4,360	4,610	
51	m	410	433	454	0.176	4,960	5,920	6,250	
63	m	620	654	686	0.238	6,830	8,130	8,590	
75	m	773	815	855	0.277	8,020	9,530	10,080	
ネジなし管 EP	長さ 3.66m								
19	m	114	120	126	0.096	1,440	1,710	1,810	
25	m	163	171	179	0.124	1,950	2,310	2,440	
31	m	226	238	250	0.149	2,500	2,970	3,140	
39	m	270	284	298	0.204	3,040	3,610	3,810	
51	m	384	405	425	0.275	4,170	4,950	5,240	
63	m	571	602	631	0.319	5,700	6,760	7,140	
75	m	745	785	823	0.388	6,760	7,990	8,440	
厚鋼管 GP	長さ 3.66m								
16	m	204	215	226	0.072	2,090	2,480	2,620	
22	m	269	284	299	0.096	2,780	3,310	3,500	
28	m	363	382	401	0.124	3,610	4,290	4,540	
36	m	464	490	514	0.149	4,380	5,200	5,500	
42	m	543	572	599	0.204	5,840	6,950	7,350	
54	m	773	815	855	0.275	7,930	9,430	9,970	
70	m	1,110	1,170	1,230	0.319	9,490	11,250	11,890	
82	m	1,340	1,420	1,490	0.388	11,500	13,700	14,400	
92	m	2,160	2,280	2,390	0.432	13,700	16,200	17,100	
104	m	2,470	2,610	2,740	0.482	15,400	18,100	19,200	

摘要 塗装を必要とする場合は別途計上する。

[露出配管]

品名・形状・サイズ	単位	材料単価 円/単位			歩掛り 人/単位	複合単価 円/単位			備考	
		最低値	平均値	最高値		最低値	平均値	最高値		
薄鋼管 CP 長さ 3.66m	19	m	128	135	142	0.062	1,730	2,070	2,190	
	25	m	181	190	199	0.084	2,360	2,810	2,970	
	31	m	241	254	267	0.107	3,020	3,600	3,800	
	39	m	277	292	307	0.131	3,650	4,360	4,610	
	51	m	410	433	454	0.176	4,960	5,920	6,250	
	63	m	620	654	686	0.238	6,830	8,130	8,590	
	75	m	773	815	855	0.277	8,020	9,530	10,080	
ネジなし管 EP 長さ 3.66m	19	m	114	120	126	0.050	1,440	1,710	1,810	
	25	m	163	171	179	0.067	1,950	2,310	2,440	
	31	m	226	238	250	0.085	2,500	2,970	3,140	
	39	m	270	284	298	0.104	3,040	3,610	3,810	
	51	m	384	405	425	0.142	4,170	4,950	5,240	
	63	m	571	602	631	0.191	5,700	6,760	7,140	
	75	m	745	785	823	0.222	6,760	7,990	8,440	
厚鋼管 GP 長さ 3.66m	16	m	204	215	226	0.072	2,090	2,480	2,620	
	22	m	269	284	299	0.096	2,780	3,310	3,500	
	28	m	363	382	401	0.124	3,610	4,290	4,540	
	36	m	464	490	514	0.149	4,380	5,200	5,500	
	42	m	543	572	599	0.204	5,840	6,950	7,350	
	54	m	773	815	855	0.275	7,930	9,430	9,970	
	70	m	1,110	1,170	1,230	0.319	9,490	11,250	11,890	
	82	m	1,340	1,420	1,490	0.388	11,500	13,700	14,400	
	92	m	2,160	2,280	2,390	0.432	13,700	16,200	17,100	
	104	m	2,470	2,610	2,740	0.482	15,400	18,100	19,200	

摘要 塗装を必要とする場合は別途計上する。